

according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

1. PRODUCT AND COMPANY IDENTIFICATION


Product name	:	Halofuginone Formulation	
Other means of identification	:	HALOCUR (A009802) HALOCUR ORAL SOLUTION FOR TREATMENT OF CALVES (57163)	
Manufacturer or supplier's d	leta	ils	
Company	:	MSD	
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331	
Telephone	:	+1-908-740-4000	
Emergency telephone number	• :	86-571-87268110	
E-mail address	:	EHSDATASTEWARD@msd.com	

Recommended use of the cl	hem	ical and restrictions on use
Recommended use	:	Veterinary product

Recommended use	: Veterinary prod
Restrictions on use	: Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview				
Appearance Colour Odour	: :	liquid yellow odourless		
Causes skin irritation. Causes fects.	ser	ious eye irritation. Harmful to aquatic life with long lasting ef-		
GHS Classification Skin corrosion/irritation	:	Category 2		
Serious eye damage/eye irri- tation	:	Category 2A		
Short-term (acute) aquatic hazard	:	Category 3		
Long-term (chronic) aquatic hazard	:	Category 3		





Version 4.4	Revision Date: 2024/04/06	SDS Number: 845713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
	ard pictograms	<u>(1)</u>	
Signa	al word	: Warning	
Haza	ard statements	H319 Causes	s skin irritation. s serious eye irritation. Il to aquatic life with long lasting effects.
Preca	autionary statements	P273 Avoid r P280 Wear p Response:	skin thoroughly after handling. release to the environment. protective gloves/ eye protection/ face protection. 2 IF ON SKIN: Wash with plenty of water.
		P305 + P351 for several m easy to do. C P332 + P313 tion. P337 + P313 tention.	 + P338 IF IN EYES: Rinse cautiously with water ninutes. Remove contact lenses, if present and Continue rinsing. B If skin irritation occurs: Get medical advice/ atten- B If eye irritation persists: Get medical advice/ at- Take off contaminated clothing and wash it before
		Disposal:	e of contents/ container to an approved waste ht.
-	sical and chemical ha		
	th hazards		
	ses skin irritation. Cause	es serious eye irritati	ion.
	ronmental hazards nful to aquatic life. Harn	nful to aquatic life wit	th long lasting effects.
Othe	e r hazards which do n e e known.	•	
3. COMPO	OSITION/INFORMATIC		rs
Subs	stance / Mixture	: Mixture	
Com	ponents		

Chemical name	CAS-No.	Concentration (% w/w)
Lactic acid	50-21-5	>= 1 -< 3



according to GB/T 16483 and GB/T 17519

ersion .4	Revision Date: 2024/04/06	SDS Number: 845713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26		
Halof	uginone		82186-71-8 >= 0.025 -< 0.1		
. FIRST /					
Gene	eral advice	vice immediate	accident or if you feel unwell, seek medical ad- ely. ns persist or in all cases of doubt seek medical		
lf inha	aled	: If inhaled, rem	ove to fresh air. tention if symptoms occur.		
In cas	se of skin contact	 In case of contact, immediately flush skin with plenty of wa for at least 15 minutes while removing contaminated cloth and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. 			
In case of eye contact		: In case of cont for at least 15	act, immediately flush eyes with plenty of water minutes. emove contact lens, if worn.		
If swallowed Most important symptoms and effects, both acute and delayed		 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 			
		: Causes skin in Causes seriou	itation.		
Protection of first-aiders		and use the re	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).		
Notes to physician			natically and supportively.		
FIREFI	GHTING MEASURES				
Suitable extinguishing media		: Water spray Alcohol-resista Carbon dioxide Dry chemical			
Unsu media	itable extinguishing a	: None known.			
fightir		·	mbustion products may be a hazard to health.		
Haza ucts	rdous combustion prod-	: Carbon oxides			
Spec ods	ific extinguishing meth-	cumstances ar Use water spra	ing measures that are appropriate to local cir- nd the surrounding environment. ay to cool unopened containers. maged containers from fire area if it is safe to do		
Spec	ial protective equipment	Evacuate area	fire, wear self-contained breathing apparatus.		

according to GB/T 16483 and GB/T 17519



Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

for firefighters	Use personal protective equipment.					
6. ACCIDENTAL RELEASE MEASUR	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).					
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.					
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.					

7. HANDLING AND STORAGE

Handling		
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
		Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	:	Oxidizing agents
Storage		
Conditions for safe storage	:	Keep in properly labelled containers.

Engineering measures



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version 4.4	Revision Date: 2024/04/06	SDS Number 845713-0002	
Materi	ials to avoid	: Do not sto	ccordance with the particular national regulations. ore with the following product types: idizing agents
Packa	iging material	: Unsuitable	e material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
Halofuginone	82186-71-8	TWA	5 µg/m3 (OEB 4)	Internal			
	Further information: DSEN, Skin						
		Wipe limit	50 µg/100 cm ²	Internal			

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Components with workplace control parameters

	Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the poten- tial exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.
Personal protective equipment	nt
Respiratory protection	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type Eye/face protection	Organic vapour type Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hand protection	5
Material	Chemical-resistant gloves
Remarks Hygiene measures	Consider double gloving. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	2.1 - 3
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-	:	No data available
octanol/water Auto-ignition temperature	:	No data available



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version 4.4	Revision Date: 2024/04/06	SDS Num 845713-00		Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
Deco	omposition temperature	: No da	ata available	
Visco V	osity iscosity, kinematic	: No da	ata available	
Explo	osive properties	: Not e	xplosive	
Oxid	izing properties	: The s	substance or	mixture is not classified as oxidizing.
Mole	cular weight	: No da	ata available	
	cle characteristics cle size	: No da	ata available	
10. STAB	ILITY AND REACTIVIT	Y		
Read	ctivity	: Not cl	lassified as a	reactivity hazard.

:	Not classified as a reactivity hazard.
:	Stable under normal conditions.
:	Can react with strong oxidizing agents.
:	None known.
:	Oxidizing agents
:	No hazardous decomposition products are known.
	:

11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation
	Skin contact
	Ingestion
	Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Components:		
Lactic acid: Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg



according to GB/T 16483 and GB/T 17519

ersion 4	Revision Date: 2024/04/06		DS Number: 5713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
			Remarks: Bas	sed on data from similar materials
Acute	inhalation toxicity	:	Exposure time Test atmosph Method: OEC Assessment:	e: 4 h
Acute	e dermal toxicity	:	Assessment: toxicity	n: > 2,000 mg/kg The substance or mixture has no acute dermal sed on data from similar materials
Halof	uginone:			
Acute	oral toxicity	:	LD50 (Rat): 3	0 mg/kg
			LD50 (Mouse): 5 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 0 Test atmosph	
Acute	e dermal toxicity	:	LD50 (Rabbit)	: 16 mg/kg
	corrosion/irritation es skin irritation.			
<u>Com</u>	oonents:			
	c acid:		D 11 %	
Speci Metho		:	Rabbit OECD Test G	uideline 404
Resul Rema		:		er 1 to 4 hours of exposure a from similar materials
Halof	uginone:			
Speci Resu		:	Rabbit Skin irritation	
	us eye damage/eye iri es serious eye irritation.		ion	
	oonents:			
	c acid:			
Speci	es	:	Chicken eye	
Rema	arks	:	Based on data	a from similar materials
Resu	lt	:	Irreversible ef	fects on the eye
			0 / 1	-



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

Halofuginone:

Result

: Severe irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Lactic acid:

Test Type :	Buehler Test
Exposure routes :	Skin contact
Species :	Guinea pig
Result :	negative
Remarks :	Based on data from similar materials

Halofuginone:

Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Sensitiser

Germ cell mutagenicity

Not classified based on available information.

Components:

Lactic acid: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 **Result:** negative Remarks: Based on data from similar materials Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 **Result:** negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials Halofuginone: Genotoxicity in vitro : Test Type: Ames test



according to GB/T 16483 and GB/T 17519

Versi 4.4	ion	Revision Date: 2024/04/06		DS Number: 15713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
				Result: positive	
				Test Type: Mouse Result: negative	e Lymphoma
					nosomal aberration nan lymphoblastoid cells
				Test Type: DNA of thesis in mamma Result: negative	damage and repair, unscheduled DNA syn- lian cells (in vitro)
	Genoto	oxicity in vivo	:	Test Type: Micror Species: Mouse Cell type: Bone m Application Route Result: negative	narrow
				Test Type: Cytog Species: Rat Application Route Result: negative	
				Test Type: DNA I Species: Mouse Application Route Result: negative	
	Carcin	ogenicity			
	Not cla	ssified based on ava	ilable	information.	
	Compo	onents:			
	Lactic				
	Specie Applica	s ation Route	:	Rat Ingestion	
		ure time	:	2 Years	
	Remar	ks	:	negative Based on data fro	om similar materials
	Halofu	ginone:			
	Specie	s ation Route	:	Mouse Oral	
	NÖAEI		:	0.24 mg/kg body	weight
	Result		:	negative	
	Specie		:	Rat	
		ation Route ure time	:	Oral 63 weeks	
	-				



according to GB/T 16483 and GB/T 17519

Vers 4.4	sion	Revision Date: 2024/04/06	-	0S Number: 5713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
	NOAEL Result	-	:	0.36 mg/kg body v negative	weight
	Species Applica Exposu NOAEL Result	tion Route ire time	::	Rat Oral 26 Months 0.09 - 0.18 mg/kg negative	body weight
	•	luctive toxicity ssified based on availa	able	information.	
	Compo	onents:			
	Lactic Effects ment	acid: on foetal develop-	:	Test Type: Embry Species: Mouse Application Route Result: negative	o-foetal development : Ingestion
		ginone: on fertility	:	Test Type: Fertility Species: Mouse Application Route Fertility: NOAEL: Result: No effects	: Oral D.126 mg/kg body weight
				Test Type: Fertility Species: Dog Application Route Fertility: LOAEL: (Result: Effects on	: Oral).067 mg/kg body weight
				Species: Mouse Application Route General Toxicity F Symptoms: Reduc	1: LOAEL: 0.063 mg/kg body weight ced body weight on fertility and early embryonic develop-
	Effects ment	on foetal develop-	:	Species: Rat Application Route General Toxicity M Embryo-foetal tox Result: No embryo	Aaternal: LOAEL: 0.34 mg/kg body weight icity: NOAEL: 0.67 mg/kg body weight p-foetal toxicity, No teratogenic effects
				Test Type: Embry Species: Rabbit	o-foetal development



according to GB/T 16483 and GB/T 17519

rsion	Revision Date: 2024/04/06	SDS Number: 845713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
		A 11 (1 F	
		Embryo-foet	coute: Oral icity Maternal: NOAEL: 0.025 mg/kg body weigh al toxicity: NOAEL: 0.076 mg/kg body weight mbryo-foetal toxicity, No teratogenic effects
Repro sessn	oductive toxicity - As- nent		nce of adverse effects on sexual function and d on animal experiments.
	- single exposure		
Not c	lassified based on avai	able information.	
STOT	- repeated exposure		
Not c	lassified based on avai	able information.	
<u>Com</u>	oonents:		
Halof	uginone:		
•	et Organs	: Blood	
Asses	ssment	: Causes dam exposure.	age to organs through prolonged or repeated
Repe	ated dose toxicity		
<u>Com</u>	oonents:		
	c acid:		
Speci		: Rat	
NOAE	L cation Route	: > 100 mg/kg	
	ration Route	: Ingestion	
Evno			
Expos Rema	sure time	: 13 Weeks : Based on da	ta from similar materials
Rema	sure time arks	: Based on da	ta from similar materials
Rema Speci	sure time arks es	: Based on da : Rat	ta from similar materials
Rema Speci LOAE	sure time arks es EL	: Based on da	
Rema Speci LOAE Applic	sure time arks es	: Based on da : Rat : 886 mg/kg	
Rema Speci LOAE Applic Expos	sure time arks es EL cation Route	: Based on da : Rat : 886 mg/kg : Skin contact	
Rema Speci LOAE Applic Expos Halof Speci	sure time arks EL cation Route sure time f uginone:	: Based on da : Rat : 886 mg/kg : Skin contact : 13 Weeks : Mouse	
Rema Speci LOAE Applic Expos Halof Speci NOAE	sure time arks EL cation Route sure time fuginone: les EL	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 	
Rema Speci LOAE Applic Expos Halof Speci NOAE LOAE	sure time arks EL cation Route sure time fuginone: EL EL	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg 	
Rema Speci LOAE Applic Expose Halof Speci NOAE LOAE Applic	sure time arks EL cation Route sure time fuginone: EL EL EL cation Route	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg Oral 	
Rema Speci LOAE Applic Expos Halof Speci NOAE LOAE Applic Expos	sure time arks EL cation Route sure time fuginone: EL EL	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg 	
Rema Speci LOAE Applic Expos Halof Speci NOAE LOAE Applic Expos Targe	sure time arks EL cation Route sure time fuginone: es EL cation Route sure time et Organs	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg Oral 4 Weeks 	
Rema Speci LOAE Applic Expos Halof Speci NOAE LOAE Applic Expos Targe	sure time arks EL cation Route sure time fuginone: ES EL cation Route sure time et Organs EL	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg Oral 4 Weeks Blood Rat 0.13 mg/kg 	
Rema Speci LOAE Applic Expos Halof Speci NOAE LOAE Speci NOAE Speci NOAE	sure time arks EL cation Route sure time fuginone: es EL cation Route sure time et Organs EL EL	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg 0.16 mg/kg Oral 4 Weeks Blood Rat 0.13 mg/kg 0.88 mg/kg 	
Rema Speci LOAE Applic Expos Halof Speci NOAE LOAE Applic Expos Targe	sure time arks EL cation Route sure time fuginone: ES EL cation Route sure time et Organs EL	 Based on da Rat 886 mg/kg Skin contact 13 Weeks Mouse 0.07 mg/kg 0.16 mg/kg Oral 4 Weeks Blood Rat 0.13 mg/kg 	



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

Target Organs	:	Liver
Species NOAEL LOAEL Application Route Exposure time Target Organs	:	Dog 0.067 mg/kg 0.134 mg/kg Oral 13 Weeks Blood
Species NOAEL LOAEL Application Route Exposure time Target Organs	:	Dog 0.075 mg/kg 0.16 mg/kg Oral 26 Weeks Blood

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Halofuginone:

General Information		No human information is available.
Inhalation	:	Remarks: May cause irritation of respiratory tract.
Skin contact	:	Remarks: May cause skin irritation and/or dermatitis. May cause sensitisation by skin contact.
Eye contact	:	Can be absorbed through skin. Remarks: May irritate eyes.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Lactic acid:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h

according to GB/T 16483 and GB/T 17519



/ersion .4	Revision Date: 2024/04/06		0S Number: 5713-00021	Date of last issue: 2023/12/08 Date of first issue: 2016/08/26
				est Guideline 201 on data from similar materials
			mg/l Exposure time: 7 Method: OECD T	rchneriella subcapitata (green algae)): > 100 2 h est Guideline 201 on data from similar materials
Toxic	ity to microorganisms	:		
Halof	uginone:			
	ity to fish	:	Exposure time: 9	chus mykiss (rainbow trout)): 1.8 mg/l 6 h on data from similar materials
			Exposure time: 7	arpio (Carp)): 0.3 mg/l 2 h on data from similar materials
			Exposure time: 9	nacrochirus (Bluegill sunfish)): 0.12 mg/l 6 h on data from similar materials
	ity to daphnia and other ic invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.02 mg/l 8 h on data from similar materials
Toxici plants	ity to algae/aquatic	:	Method: OECD T	oyrenoidosa (algae)): 46 mg/l est Guideline 201 on data from similar materials
	ctor (Acute aquatic tox-	:	10	
icity) M-Fao toxicit	ctor (Chronic aquatic y)	:	10	
Persi	stence and degradabil	ity		
Comp	oonents:			
	c acid: gradability	:	Result: Not readii Remarks: Based	y biodegradable. on data from similar materials
Halof	uginone:			
Biode	gradability	:	Result: Not readi	y biodegradable.



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

4.4 2024/04/06 845713-00021 Date of first issue: 2016/08/26	Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
	4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

Bioaccumulative potential

Components:

Lactic acid:					
Partition coefficient: n- octanol/water	:	log Pow: -0.62			
Halofuginone:					
Partition coefficient: n- octanol/water	:	log Pow: 1.18			
Mobility in soil					
Components:					

Halofuginone:

Distribution among environ-	:	log Koc: 3.87
mental compartments		Method: FDA 3.08

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal	methods
----------	---------


Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

ole ole
ole
ole
ole
ole
ole





Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

Labels Packing instruction (cargo aircraft) Packing instruction (passen-	:	Not applicable Not applicable Not applicable
ger aircraft)	•	not applicable
IMDG-Code		
UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Marine pollutant	:	no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information
Law on the Prevention and Control of Occupational DiseasesRegulation on the Administration of Precursor ChemicalsCatalogue and Classification of Precursor Chemicals : Not listedYangtze River Protection LawThis product does not contain any dangerous chemicals prohibited for inland river transport.The components of this product are reported in the following inventories:
AICS : not determinedDSL: not determined

IECSC : not determined



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

16. OTHER INFORMATION

Revision Date	:	2024/04/06
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Date format	:	yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-



according to GB/T 16483 and GB/T 17519

Halofuginone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/12/08
4.4	2024/04/06	845713-00021	Date of first issue: 2016/08/26

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN