according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

SECTION 1. IDENTIFICATION

Product name : Lambda-Cyhalothrin Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Eye irritation : Category 2B

Specific target organ toxicity

- single exposure

Category 1 (Nervous system)

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H320 Causes eye irritation. H331 Toxic if inhaled.

H370 Causes damage to organs (Nervous system).

Precautionary Statements : Prevention:

P260 Do not breathe dust, fume, gas, mist, vapors or spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

unwell. Rinse mouth.

P304 + P340 + P311 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Call a doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a doctor. P337 + P313 If eye irritation persists: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Polyvinyl chloride	Ethene, chloro-, homopolymer	9002-86-2	58.34
lambda-cyhalothrin (ISO)	A mixture of: α-cyano-3-phenoxybenzyl (Z)-(1R,3R)-[(S)-3-(2-chloro-3,3,3-trifluoro-prop-1-enyl)]-2,2-dimethylcyclo-propanecarboxylate	91465-08-6	10
Titanium dioxide	Titanic anhy- dride	13463-67-7	0.1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed. Causes eye irritation.

Toxic if inhaled.

Causes damage to organs.

Contact with dust can cause mechanical irritation or drying of

the skin.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Use personal protective equipment.

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

tive equipment and emergency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air.

Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapors or spray.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Polyvinyl chloride	9002-86-2	TWA (Respirable)	1 mg/m³	CA BC OEL	
		TWA (Respirable particulate matter)	1 mg/m³	ACGIH	
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal	
	Further information: Skin				
		Wipe limit	50 μg/100 cm ²	Internal	
Titanium dioxide	13463-67-7	TWA	10 mg/m ³	CA AB OEL	
		TWA (Total dust)	10 mg/m³	CA BC OEL	
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL	
		TWAEV (to- tal dust)	10 mg/m ³	CA QC OEL	
		TWA (Respirable particulate matter)	2.5 mg/m³ (Titanium dioxide)	ACGIH	

This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.

Titanium dioxide

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from

stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Use closed processing systems or containment technologies.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type

Material

Hand protection

: Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color : violet

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 560 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Skin corrosion/irritation

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

Titanium dioxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Components:

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Titanium dioxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Titanium dioxide:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Germ cell mutagenicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Titanium dioxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Titanium dioxide:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : positive

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

This substance(s) is not bioavailable and therefore does not

contribute to a dust inhalation hazard.

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in inhalation studies with

animals.

Reproductive toxicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain.

Result: No effects on fertility.

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on fetal development., Reduced maternal

body weight gain., Reduced fetal weight.

Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on fetal development., Reduced maternal

body weight gain., Reduced fetal weight.

Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs (Nervous system).

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Components:

lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg
Application Route : oral (feed)

Exposure time : 90 d

Symptoms : reduced body weight gain, reduced food consumption

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 50 mg/kg

Application Route : Dermal

Exposure time : 21 d

Target Organs : Nervous system

Species : Rat

NOAEL : 0.08 mg/kg LOAEL : 0.9 mg/kg Application Route : Inhalation Exposure time : 21 d

Target Organs : Nervous system

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 y

Target Organs : Nervous system

Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

Titanium dioxide:

Species : Rat

NOAEL : 24,000 mg/kg Application Route : Ingestion Exposure time : 28 Days

Species : Rat NOAEL : 10 mg/m³

Application Route : inhalation (dust/mist/fume)

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

09/18/2023 11272815-00001 Date of first issue: 09/18/2023 1.0

Exposure time 2 y

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

lambda-cyhalothrin (ISO):

Symptoms: Cough, Local irritation, sneezing Inhalation

Skin contact Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact Symptoms: Eye irritation

Symptoms: Gastrointestinal disturbance Ingestion

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

lambda-cyhalothrin (ISO):

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000062

mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0035 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Titanium dioxide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

No data available

Bioaccumulative potential

Components:

lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7.0 (20 °C)

Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environmental compartments log Koc: 5.5

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.

(lambda-cyhalothrin (ISO))

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Class : 6.1
Packing group : III
Labels : 6.1
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 2811

Proper shipping name : Toxic solid, organic, n.o.s.

(lambda-cyhalothrin (ISO))

Class : 6.1
Packing group : III
Labels : Toxic
Packing instruction (cargo : 677

aircraft)

Packing instruction (passen: 670

ger aircraft)

IMDG-Code

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.

(lambda-cyhalothrin (ISO))

Class : 6.1
Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.

(lambda-cyhalothrin (ISO))

Class : 6.1
Packing group : III
Labels : 6.1
ERG Code : 154

Marine pollutant : yes(lambda-cyhalothrin (ISO))

Remarks : Display "inhalation hazard" mark on package in accordance

with TDG 4.23.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

according to the Hazardous Products Regulations



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/18/2023 11272815-00001 Date of first issue: 09/18/2023

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/18/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8