

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

### SECTION 1. IDENTIFICATION

Product name : Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use


Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 1A  
Specific target organ toxicity : Category 1 (Kidney, inner ear)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H360Df May damage the unborn child. Suspected of damaging fertility.  
H372 Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name              | Common Name/Synonym | CAS-No.     | Concentration (% w/w) |
|----------------------------|---------------------|-------------|-----------------------|
| Gentamicin                 | No data available   | 1403-66-3   | $\geq 1 - < 5$ *      |
| Posaconazole               | No data available   | 171228-49-2 | $\geq 0.1 - < 1$ *    |
| Mometasone                 | No data available   | 83919-23-7  | $\geq 0.1 - < 1$ *    |
| 3-Mercaptopropane-1,2-diol | Thioglycerol        | 96-27-5     | $\geq 0.1 - < 1$ *    |

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms : May damage the unborn child. Suspected of damaging

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

and effects, both acute and delayed      fertility.  
Causes damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders      :      First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician      :      Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media      :      Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media      :      None known.

Specific hazards during fire fighting      :      Exposure to combustion products may be a hazard to health.

Hazardous combustion products      :      Carbon oxides

Specific extinguishing methods      :      Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters      :      In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures      :      Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions      :      Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up      :      Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components                | CAS-No.     | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis    |
|---------------------------|-------------|-------------------------------|--|----------|
| Gentamicin                | 1403-66-3   | TWA                           | 0.1 mg/m <sup>3</sup> (OEB 2)                  | Internal |
| Further information: OTO  |             |                               |  |          |
| Posaconazole              | 171228-49-2 | TWA                           | 300 µg/m <sup>3</sup> (OEB 2)                  | Internal |
| Mometasone                | 83919-23-7  | TWA                           | 1 µg/m <sup>3</sup> (OEB 4)                    | Internal |
| Further information: Skin |             |                               |  |          |
|                           |             | Wipe limit                    | 10 µg/100 cm <sup>2</sup>                      | Internal |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09/30/2023  |
| 5.8     | 04/06/2024     | 772740-00019 | Date of first issue: 06/23/2016 |

---

|  |   |  |
|--|---|--|
| pH   | : | No data available  |
| Melting point/freezing point                     | : | No data available  |
| Initial boiling point and boiling range          | : | No data available  |
| Flash point                                      | : | No data available  |
| Evaporation rate                                 | : | No data available  |
| Flammability (solid, gas)                        | : | Not applicable   |
| Flammability (liquids)                           | : | No data available  |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapor pressure                                   | : | No data available  |
| Relative vapor density                           | : | No data available  |
| Relative density                                 | : | No data available  |
| Density  | : | No data available  |
| Solubility(ies)<br>Water solubility              | : | No data available  |
| Partition coefficient: n-octanol/water           | : | Not applicable   |
| Autoignition temperature                         | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity<br>Viscosity, kinematic                | : | No data available  |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : | No data available  |
| Particle characteristics<br>Particle size        | : | Not applicable   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg  
LD50 (Mouse): 10,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.  
Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular  
LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

##### **Posaconazole:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 3,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

### **Mometasone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

LC50 (Mouse): > 3.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

### **3-Mercaptopropane-1,2-diol:**

Acute oral toxicity : LD50 (Rat): 648 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): 673 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Gentamicin:**

Species : Rabbit  
Result : Mild skin irritation

#### **Posaconazole:**

Species : Rabbit  
Result : No skin irritation

#### **Mometasone:**

Species : Rabbit  
Result : No skin irritation

#### **3-Mercaptopropane-1,2-diol:**

Species : Rabbit  
Result : Skin irritation



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### **Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

##### **Posaconazole:**

Species : Rabbit  
Result : Mild eye irritation

##### **Mometasone:**

Species : Rabbit  
Result : No eye irritation

##### **3-Mercaptopropane-1,2-diol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

### Respiratory or skin sensitization

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Components:

##### **Gentamicin:**

Remarks : No data available

##### **Posaconazole:**

Test Type : Magnusson-Kligman-Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

##### **Mometasone:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitization.  
Result : negative  
Remarks : The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

### 3-Mercaptopropane-1,2-diol:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

#### Posaconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous  
Result: negative

#### Mometasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster lung cells  
Result: negative

Test Type: Chromosomal aberration

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Genotoxicity in vivo : Test system: Chinese hamster ovary cells  
Result: positive

Test Type: Mouse Lymphoma  
Result: negative

: Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Cell type: Bone marrow  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### 3-Mercaptopropane-1,2-diol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### Gentamicin:

Carcinogenicity - Assessment : No data available

#### Posaconazole:

Species : Rat  
Application Route : oral (feed)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Exposure time : 2 Years  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

### **Mometasone:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years  
Dose : 0.067 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Inhalation  
Exposure time : 19 Months  
Dose : 0.160 mg/kg body weight  
Result : negative

### **Reproductive toxicity**

May damage the unborn child. Suspected of damaging fertility.

### **Components:**

#### **Gentamicin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Fetal mortality., No malformations were observed.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

### Posaconazole:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
General Toxicity Parent: NOAEL: 180 mg/kg body weight  
Symptoms: No effects on mating performance.  
Result: negative

Test Type: Fertility/early embryonic development  
Species: Rat, female  
General Toxicity Parent: NOAEL: 45 mg/kg body weight  
Symptoms: No effects on mating performance.  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 29 mg/kg body weight  
Result: Fetotoxicity., Malformations were observed.

Test Type: Embryo-fetal development  
Species: Rabbit, female  
Developmental Toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### Mometasone:

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 0.015 mg/kg body weight  
Symptoms: Reduced embryonic survival, Reduced fetal weight.  
Result: No effects on fertility., Effect on reproduction capacity.

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.06 mg/kg body weight  
Result: Embryotoxic effects., Teratogenicity and developmental toxicity

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Dermal  
Embryo-fetal toxicity.: LOAEL: 0.3 mg/kg body weight  
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Dermal  
Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight  
Result: Embryo-fetal toxicity., Malformations were observed.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Subcutaneous  
Embryo-fetal toxicity.: LOAEL: 0.15 mg/kg body weight  
Result: Effects on newborn.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
Embryo-fetal toxicity.: LOAEL: 0.7 mg/kg body weight  
Result: Embryo-fetal toxicity., Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **3-Mercaptopropane-1,2-diol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### **STOT-single exposure**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

### Components:

#### **Mometasone:**

Remarks : Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure if swallowed.

### Components:

#### **Gentamicin:**

Target Organs : Kidney, inner ear  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **Posaconazole:**

Routes of exposure : Ingestion  
Target Organs : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **Mometasone:**

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Immune system, Liver, Kidney, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### Components:

#### **Gentamicin:**

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Intramuscular  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Vomiting, Salivation

Species : Monkey  
LOAEL : 50 mg/kg  
Application Route : Subcutaneous  
Exposure time : 3 Weeks  
Target Organs : Kidney, inner ear

Species : Monkey  
LOAEL : 6 mg/kg  
Application Route : Intramuscular

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12.5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

### **Posaconazole:**

Species : Rat, female  
LOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Oral  
Exposure time : 392 Days  
Target Organs : Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal cord, lymphoid tissue

Species : Monkey  
LOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 1 Months  
Target Organs : Bone marrow, Adrenal gland, Lymph nodes, Blood

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Oral  
Exposure time : 56 Weeks  
Target Organs : Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

Species : Monkey  
LOAEL : 180 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Target Organs : Blood, Gastrointestinal tract, spleen

Species : Monkey  
LOAEL : 8 mg/kg



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Application Route : Intravenous  
Exposure time : 1 Months  
Target Organs : Cardio-vascular system, Lungs, Adrenal gland, Blood

### **Mometasone:**

Species : Rat  
NOAEL : 0.005 mg/kg  
LOAEL : 0.3 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Dog  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 30 d  
Target Organs : Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species : Rat  
NOAEL : 0.00013 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species : Dog  
NOAEL : 0.0005 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 d  
Target Organs : Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

### **3-Mercaptopropane-1,2-diol:**

Species : Rat  
LOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 55 Days  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **Mometasone:**

Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

### Experience with human exposure

#### Components:

##### **Gentamicin:**

Ingestion : Target Organs: Kidney  
Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

##### **Posaconazole:**

Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhea, hypertension, neutropenia, electrolyte imbalance

##### **Mometasone:**

Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion

Skin contact : Symptoms: Dermatitis, Itching

### Further information

#### Components:

##### **Mometasone:**

Remarks : Dermal absorption possible

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Gentamicin:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Posaconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.95 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.276 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.509 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.041 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.206 mg/l  
Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.244 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50 (Natural microorganism): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Mometasone:

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 0.11 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09/30/2023  |
| 5.8     | 04/06/2024     | 772740-00019 | Date of first issue: 06/23/2016 |

- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l  
Exposure time: 7 d  
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.
- EC50 (Americamysis): > 5 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035  
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 3.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00014 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.34 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility.
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.
- NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
Remarks: No toxicity at the limit of solubility.
- 3-Mercaptopropane-1,2-diol:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 - 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- EC10 (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC10 (activated sludge): > 1 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Gentamicin:**

- Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

##### **Posaconazole:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 h  
Method: OECD Test Guideline 314

- Stability in water : Degradation half life (DT50): > 30 d  
Method: OECD Test Guideline 111

##### **Mometasone:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

- Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111

##### **3-Mercaptopropane-1,2-diol:**

- Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

---

### Bioaccumulative potential

#### Components:

##### **Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

##### **Posaconazole:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 20  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.15

##### **Mometasone:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107.1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.68

##### **3-Mercaptopropane-1,2-diol:**

Partition coefficient: n-octanol/water : log Pow: -0.84  
Method: OECD Test Guideline 117

### Mobility in soil

#### Components:

##### **Posaconazole:**

Distribution among environmental compartments : log Koc: 5.52

##### **Mometasone:**

Distribution among environmental compartments : log Koc: 4.02

#### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

Version 5.8      Revision Date: 04/06/2024      SDS Number: 772740-00019      Date of last issue: 09/30/2023  
Date of first issue: 06/23/2016

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Gentamicin, Mometasone)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Gentamicin, Mometasone)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Gentamicin, Mometasone)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Gentamicin, Mometasone)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(Gentamicin, Mometasone)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09/30/2023  |
| 5.8     | 04/06/2024     | 772740-00019 | Date of first issue: 06/23/2016 |

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

|       |   |                |
|-------|---|----------------|
| AICS  | : | not determined |
| DSL   | : | not determined |
| IECSC | : | not determined |

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Mometasone / Posaconazole / Gentamicin / Polymyxin B Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 09/30/2023  |
| 5.8     | 04/06/2024     | 772740-00019 | Date of first issue: 06/23/2016 |

---

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/06/2024  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8