

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version 1.2      Revision Date: 09/30/2023      SDS Number: 10844002-00003      Date of last issue: 04/04/2023  
Date of first issue: 09/12/2022

---

### SECTION 1. IDENTIFICATION

Product name : Permethrin (1%) / Piperonyl Butoxide (1%) Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---


### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Category 1

Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version 1.2      Revision Date: 09/30/2023      SDS Number: 10844002-00003      Date of last issue: 04/04/2023  
Date of first issue: 09/12/2022

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic	64742-65-0	98
Permethrin (ISO)	m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	52645-53-1	1
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether	Piperonyl Butoxide	51-03-6	1

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

- 
- |   |   |   |
|---|---|---|
| In case of eye contact                                      | : | Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.<br>Flush eyes with water as a precaution.   |
| If swallowed  | : | Get medical attention if irritation develops and persists.<br>If swallowed, DO NOT induce vomiting.<br>If vomiting occurs have person lean forward.<br>Call a physician or poison control center immediately.<br>Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | May be fatal if swallowed and enters airways.<br>May cause an allergic skin reaction.<br>This product contains a pyrethroid.<br>Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.  |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : | Treat symptomatically and supportively.   |

---

### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Vapors may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides<br>Chlorine compounds   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).   |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g., by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version 1.2      Revision Date: 09/30/2023      SDS Number: 10844002-00003      Date of last issue: 04/04/2023  
Date of first issue: 09/12/2022

cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Mist)	5 mg/m <sup>3</sup>	CA AB OEL
		STEL (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	1 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	5 mg/m <sup>3</sup>	CA QC OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version 1.2      Revision Date: 09/30/2023      SDS Number: 10844002-00003      Date of last issue: 04/04/2023  
Date of first issue: 09/12/2022

		- Inhalable dust)		
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m <sup>3</sup> (OEB 1)	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	amber clear
Odor	:	odorless
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	93.3 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	< 2 mmHg (25 °C)
Relative vapor density	:	No data available
Relative density	:	0.840 - 0.890 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	negligible
Partition coefficient: n-octanol/water	:	Not applicable

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	25 - 40 mm <sup>2</sup> /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

### Components:

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

#### **Permethrin (ISO):**

- Acute oral toxicity : LD50 (Rat): 480 - 554 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 2.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:**

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423
- Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

#### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

- Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

### Permethrin (ISO):

Species : Rabbit  
Result : No skin irritation

### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### Permethrin (ISO):

Species : Rabbit  
Result : No eye irritation

### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

### Permethrin (ISO):

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Permethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 78 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### **Permethrin (ISO):**

Species : Rat  
Result : negative

Species : Mouse

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

Result : negative

### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 107 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Skin contact  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

#### **Permethrin (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

Result: negative

### STOT-single exposure

Not classified based on available information.

### Components:

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit  
NOAEL : 1,000 mg/kg  
Application Route : Skin contact  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 410  
Remarks : Based on data from similar materials

Species : Rat  
NOAEL : > 980 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Remarks : Based on data from similar materials

#### Permethrin (ISO):

Species : Rat  
NOAEL : 0.2201 mg/l  
Application Route : Inhalation  
Exposure time : 90 Days

Species : Rat  
NOAEL : 175 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat  
NOAEL : 1,323 mg/kg  
Application Route : Ingestion  
Exposure time : 7 Weeks

### Aspiration toxicity

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

### Components:

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

- |  |   |   |
|--|---|---|
| Toxicity to fish   | : | LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203<br>Remarks: Based on data from similar materials          |
| Toxicity to daphnia and other aquatic invertebrates                    | : | EC50 (Daphnia magna (Water flea)): > 10,000 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202<br>Remarks: Based on data from similar materials                 |
| Toxicity to algae/aquatic plants                                       | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 10 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211<br>Remarks: Based on data from similar materials                       |
| Toxicity to microorganisms   | : | NOEC: > 1.93 mg/l<br>Exposure time: 10 min<br>Method: DIN 38 412 Part 8<br>Remarks: Based on data from similar materials  |

#### **Permethrin (ISO):**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l<br>Exposure time: 96 h  |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.0001 mg/l<br>Exposure time: 48 h   |
| Toxicity to algae/aquatic plants                    | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l<br>Exposure time: 72 h<br><br>EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.00041 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0047 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h

### **2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.51 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.03 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **Persistence and degradability**

#### **Components:**

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 2 - 8 %

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F

### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

#### Permethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4.67

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-octanol/water : log Pow: 5

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.

---



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version 1.2      Revision Date: 09/30/2023      SDS Number: 10844002-00003      Date of last issue: 04/04/2023  
Date of first issue: 09/12/2022

(Permethrin (ISO), 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Permethrin (ISO), 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Permethrin (ISO), 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Permethrin (ISO), 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether)

Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes(Permethrin (ISO), 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether)

Remarks : Display "inhalation hazard" mark on package in accordance with TDG 4.23.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Permethrin (1%) / Piperonyl Butoxide (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
1.2	09/30/2023	10844002-00003	Date of first issue: 09/12/2022

---

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8